



## Ergonomic Worker Positioning

# MANUAL AND DRIVABLE POWER STOCKER LIFTS

### Manually Propelled Hydraulic Power Stocker Lifts



### Drivable Hydraulic Power Stocker Lift



Great for applications where the product is too heavy or bulky to be handled safely on a rolling ladder. Ideal for the shop or retail floor.

- Ground Entry - Manually Propelled
- Safety sensing system available as an option
- No outriggers required, floor locks secure in place for models PS-10 AND PS-12
- 450 Lb. TOTAL Capacity: PS-10 Model
- 650 Lb. TOTAL Capacity: PS-12 and PS-15 Models
- 12 volt DC power with mounted charger included
- Recharge using a standard 110 volt outlet
- High quality controls require both hands to operate for user safety
- 80 to 100 raise and lower cycles between charges
- Key lock prevents unauthorized use
- Removable guardrails beside stock platform for easy loading and unloading
- Meets/exceeds ANSI safety standards

All the ergonomic features and benefits of the manual models, including ground entry and the ability to raise merchandise to shelf levels while easily sliding the product on or off the shelf. This minimizes the back strains of lifting and at the same time improves productivity and safety.

The Drivable Power Stocker has two speeds and can be operated in the raised position. The PS-12D comes with a Gate Safety Alarm, Manual Lowering Valve, Warning Lights plus Emergency Stop Buttons- all Standard!

- Large Cargo Deck 32" (Wide) x 28" (Deep)
- Standing Platform 28" (Wide) x 19" (Deep)
- 650 lbs. Capacity- Merchandise and Operator
- 2-12V Batteries
- Power Cord for charging
- Easy charging using standard 110V outlet
- Key Lock prevents unauthorized usage
- Ground and Control Box Operations
- Two Speeds

Model #	Working Height	Merch Deck Max Height	Footprint W" x L"	Overall Height (Lowered)	Power Voltage	Weight Lbs.	Price
<b>Manual</b>							
PS-10	14'	9'	36" x 54"	76"	12 V DC	1022	\$4,778.09
PS-12*	18'	13'	42" x 54"	94"	12 V DC	1089	\$7,168.45
PS-15*	21'	15.9'	43" x 60"	90"	12 V DC	1189	\$9,743.00
<b>Drivable</b>							
PS-12D*	18'	13'	42" x 60"	96"	2-12 V	1600	\$8,645.58

\* Available with optional sensing system which creates a safety zone perimeter around the lift when in the raised position.

# MINI SCISSOR LIFTS

## Manually Propelled Mini Scissor Lifts



Mini scissor lift work platforms are uniquely engineered for easy use and maneuverability in narrow aisles and tight access areas. It is the perfect lift for one person maintenance jobs and high, hard to reach areas, providing safe vertical access to working heights of 19 feet. No Outriggers Required.

- 500 Lb. Capacity
- Manually Propelled
- Maximum raised platform height of 9' 10" - 12' 9"
- 24" x 46" Platforms
- Easy to roll on 6" casters
- 12 Volt DC powered
- Power unit stored in a lockable slide out drawer
- Battery Charge Indicator
- Emergency Stop Button
- Emergency Lowering System
- Forklift Pockets
- Meets/Exceeds ANSI Safety Standards

Model #	Working Height	Platform Max.	Platform Min.	Footprint W x L	Overall Height (Lowered)	Weight Lbs.	Price
MSL-10	16'	9' 10"	26"	31" x 51"	70"	787	\$6,082.32
MSL-12	19'	12' 9"	26"	31" x 51"	74"	917	\$7,298.78

## Drivable Mini Scissor Lifts



The Mini drivable scissor lift work platforms offer the same uniquely engineered ease of use and maneuverability as the manually propelled mini scissor lifts. No Outriggers Required. In contrast to the manual model the drivable versions have an added feature: Extendable (Cantilever type) Platform.

The added feature of the roll-out cantilevered platform provides additional access to machinery and equipment. The drivability will also improve productivity and minimize the strains from pushing lifts.

DMSL-10 and DMSL-12: Maximum Occupants: 1

DMSL-19 and DMSL-26: Maximum Occupants: 2

- Self-Lock Gate
- Drivable at Full Heights
- Emergency Lowering System
- Emergency Stop Button
- Forklift Pockets
- 500 lbs. Capacity

Model #	Working Height	Platform Height	Platform Lowered	Platform W" x L"	Platform Extension	Base W" x L"	Overall Height	Weight	Price
DMSL-10	16'	10'	29"	28" x 46"	22"	30" x 46"	73"	1246	\$12,164.63
DMSL-12	19'	12'	33"	28" x 46"	22"	30" x 46"	77"	1300	\$13,641.77
DMSL-19	26'	19'	42"	29" x 66"	36"	30" x 74"	86"	3164	\$17,378.05
DMSL-26	32'	26'	48"	32" x 90"	36"	32" x 98"	92"	4718	\$20,853.66



# MOBILE VERTICAL SINGLE PERSON LIFT

## Manually Propelled Maintenance Lift

Introducing the Mobile Vertical Lift (BMVL-30). This push around lift is designed for 1 person and reaches a maximum platform height of 30 feet. The working height is approximately 35 feet which makes it ideal for light and ceiling maintenance. The BMVL-30 climbs and descends smoothly and quietly. The lift is DC powered with an easy to use control box. Included as an added safety feature are outrigger interlock display lights which indicate when all four outriggers are down and in place. The lift will not ascend unless all four outriggers are firmly in place. The BMVL-30 compacts easily for storage and rolls for passage through doorways. The Lift also is equipped with tilt and lift for easy loading.

- Working Height 35 Ft.
- Height Platform Max. 30 Ft.
- Height Stowed: 78" for doorway access
- Width: 29"
- Length: 56"
- Platform 24" x 27"
- Person: 1
- Maximum Load: 300 Lbs.
- Outrigger Footprint: 64" x 74"
- Weight: 950 Lbs.
- Power: 12 Volt DC
- Batteries: 12 Volt
- Outriggers included and attached



Model #	Working Height	Platform Max.	Platform Min.	Platform W x L	W" x L"	Height Stowed	Weight Lbs.	Price
BMVL-30	35'	30'	10"	24" x 27"	26" x 56"	78"	950	\$9,992.38

*For more information on any of these Ergonomic Worker Positioning Lifts or to request a shipping quote, contact us Today!*



**Badger Industrial  
Supply and Equipment™**

www.badgerie.com  
800-748-9646 • sales@badgerie.com